

Seneca County Department of Health
Environmental Services
31 Thurber Drive , Waterloo,, NY 13165
(315) 539 - 1945
jbates@co.seneca.ny.us

Food Service Establishment Inspection - Summary Report

Operation: CAYUGA LAKE CREAMERY (ID: 499243)
Facility Name: CAYUGA LAKE CREAMERY
Facility Code: 49-9492
Facility Address: 8421 ROUTE 89 INTERLAKEN, NY 14847

To the Attention of:
JEFFREY KOSTICK & JUDITH GONROFF LAKE-EATY-SPLIT, LLC
8421 ROUTE 89
INTERLAKEN , NY 14847-

Inspection
Date: APR 08, 2015 02:59 PM
Inspector: Arthur Sinicropi (asinicropi@co.seneca.ny.us)
Responsible Person: Jeff kostick (email: info@cayugalakecreamery.com)

Summary
Number of public health hazards found: 2
Number of public health hazards NOT corrected: 0
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

FOODS ADULTERATED OR RECEIVED FROM UNAPPROVED SOURCES.

ITEM # 1H WAS FOUND IN VIOLATION 1 TIME(S). CRITICAL VIOLATION

Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.

Code Requirements

Food from unapproved source, spoiled, adulterated on premises.

Inspector Findings

Five 1/2 pint half and half milk containers found past expiration date of 3/9/2015. 16 ounce container of cole slaw found past expiration date 4/3/2015. Four 1 gallon salad dressing found out of date ranging from 7/03/2012 - 05/13/2013. Corrected, all items were voluntarily discarded.

IMPROPER COOLING AND REFRIGERATED STORAGE OF POTENTIALLY HAZARDOUS FOODS.

ITEM # 5A WAS FOUND IN VIOLATION 1 TIME(S). CRITICAL VIOLATION

Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.

Code Requirements

Potentially hazardous foods are not kept at or below 45oF during cold holding, except smoked fish not kept at or below 38oF during cold holding.

Inspector Findings

4 containers of cole slaw found in cold holding found at 51F. Corrected voluntarily discarded. Recommended lowering temperature within cold holding unit.

Additional Information Collected During Inspection

Comments

Facility found very clean and organized. Proper glove use was in place. Sick worker policy was reviewed.

END of REPORT

[Submit# 132374] CAYUGA LAKE CREAMERY (ID 499243) Inspection# 1001653979