

Seneca County Department of Health  
Environmental Services  
31 Thurber Drive , Waterloo,, NY 13165  
(315) 539 - 1945  
jbates@co.seneca.ny.us

## Food Service Establishment Inspection - Summary Report

Operation: SUNGARDEN GRILLE (ID: 308159 )  
Facility Name: SUNGARDEN GRILLE  
Facility Code: 49-AA89  
Facility Address: 655 ROUTE 318 WATERLOO, NY 13165

To the Attention of:  
MICHAEL COLVIN  
34 LEWIS STREET  
GENEVA , NY 14456-

### Re-Inspection

Date: APR 24, 2015 12:50 PM  
Inspector: Julie Hoster (jhoster@co.seneca.ny.us)  
Responsible Person: Brandyn backus (email: )

### Summary

Number of public health hazards found: 1  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 2  
Reinspection is required.

Each item found in violation is reported below along with the code requirement.

## IMPROPER COOLING AND REFRIGERATED STORAGE OF POTENTIALLY HAZARDOUS FOODS.

### ITEM # 5E WAS FOUND IN VIOLATION 1 TIME(S). CRITICAL VIOLATION

Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.

#### Code Requirements

Enough refrigerated storage equipment is not present, properly designed, maintained or operated so that all potentially hazardous foods are cooled properly and stored below 45oF as required.

#### Inspector Findings

Sandwich cooler fan on right side of unit is not maintaining temperatures <45F . Foods at 52F on right side of unit if left uncovered. Foods that are kept covered appear to maintain proper temperatures. Currently no temperature sensitive foods are stored within right side of unit. Left side of unit maintains proper temperatures. Owner has new cooler arriving on Thursday 4/30/2015. In meantime, food is not stored in unit overnight; food is being stored overnight in reach in and all hazardous foods are stored in reach in throughout day..until new unit arrives; food workers are monitoring temperatures of unit and all foods stored within sandwich unit. If temperature loss on left side of unit occurs all foods will be removed and unit taken out of service.

## IMPROPER SANITARY FACILITIES AND CONTROLS.

ITEM # 12A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Hot, cold running water not provided, pressure inadequate

Inspector Findings

handwash sink is not maintaining enough water pressure to wash hands properly

ITEM # 12E WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Handwashing facilities inaccessible, improperly located, dirty, in disrepair, improper fixtures, soap, and single service towels or hand drying devices missing

Inspector Findings

hand wash sink has no hot water/pressure to wash hands properly. 2 bay sink is available for proper hand washing. Must be sanitized if used for food preparation. Sink is scheduled for repair Monday 4/27/2015

---

Additional Information Collected During Inspection

Comments

SCDOH will return Monday 4/27/2015 to check sink repairs SCDOH will check on unit Thursday 4/30/2015

---

END of REPORT

[Submit# 133314] SUNGARDEN GRILLE (ID 308159) Inspection# 1001656592