

Seneca County Department of Health
Environmental Services
31 Thurber Drive , Waterloo,, NY 13165
(315) 539 - 1945
jbates@co.seneca.ny.us

Food Service Establishment Inspection - Summary Report

Operation: PIZZA HUT STORE # 626005 (ID: 308324)
Facility Name: PIZZA HUT STORE # 626005
Facility Code: 49-AA80
Facility Address: 1928 ROUTES 5 & 20

To the Attention of:
MARCIA WOODS
V & J NATIONAL ENTERPRISE 1425 MOUNT READ BLVD. SUITE 1
ROCHESTER , NY 14606-

Inspection

Date: JUL 13, 2015 03:53 PM
Inspector: Arthur Sinicropi (asinicropi@co.seneca.ny.us)
Responsible Person: Samuel Madigan (email:)

Summary

Number of public health hazards found: 0
Number of public health hazards NOT corrected: 0
Number of other violations found: 3

Each item found in violation is reported below along with the code requirement.

IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15A WAS FOUND IN VIOLATION 2 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

Floor tiles cracked and found to be not easily cleanable. Ventilation Caps were found to have dirt and dust built on them over public seating area. Ventilation shaft covers were also found to have chipped paint. Walls, Ceilings in kitchen were found to be in disrepair covered with dirt and other food debris. Advised to service areas immediately.

ITEM # 15B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Lighting and ventilation inadequate, fixtures not shielded, dirty ventilation hoods, ductwork, filters, exhaust fans

Inspector Findings

5 Fluorescent light fixtures were not shielded. Potential for shattered bulbs to land in food, serving trays, etc. Two light units under the hood were found to be non-functional, with one unit cracked. Advised Pizza Hut to fix immediately.

Additional Information Collected During Inspection

Comments

Hot holding at 140F or higher, Cold Holding was less than 45F. Proper glove use was in place. Salad Bar was clean and proper holding temperatures were found during the inspection. Reviewed sick worker policy.

END of REPORT

[Submit# 140414] PIZZA HUT STORE # 626005 (ID 308324) Inspection# 1001677722