

Seneca County Department of Health
Environmental Services
31 Thurber Drive , Waterloo,, NY 13165
(315) 539 - 1945
jbates@co.seneca.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: QUALITY CAFE' (ID: 834380)
Facility Name: QUALITY CAFE'
Facility Code: 49-0292
Facility Address: 655 ROUTE 318 WATERLOO, NY 13165

To the Attention of:
BESNER S BEVERLY
6537 BLANEHARD ROAD
CAYUGA , NY 13034-

Inspection

Date: MAY 10, 2016 02:34 PM
Inspector: Melissa Brand (mbrand@co.seneca.ny.us)
Responsible Person: Matt Besner
(email:)

Summary

Number of public health hazards found: 1
Number of public health hazards NOT corrected: 0
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

IMPROPER HOT HOLDING OF POTENTIALLY HAZARDOUS FOODS.

ITEM # 6A WAS FOUND IN VIOLATION 1 TIME(S). CRITICAL VIOLATION

All or parts of the violation item are IN violation.

Code Requirements

Potentially hazardous foods are not kept at or above 140oF during hot holding.

Inspector Findings

sausage chicken dumpling soup at 138 during inspection in crock pot. interview revealed it had been turned down approximately 2 hours ago (current time 2:30 pm) approximately 2 cups discarded voluntarily, unknown if the soup had reached 165 during reheat before being placed at 140 for holding.

Additional Information Collected During Inspection

Comments

END of REPORT

[Submit# 196977] QUALITY CAFE' (ID 834380) Inspection# 1001824225