

Seneca County Department of Health
Environmental Services
31 Thurber Drive , Waterloo,, NY 13165
(315) 539 - 1945
jbates@co.seneca.ny.us

Mobile Food Service Establishment Inspection - Summary Report

Operation: Dutchmen's Family Restaurant Mobile Food Unit (ID: 763063)
Facility Name: DUTCHMEN'S FAMILY RESTAURANT
Facility Code: 4919278
Facility Address: 3605 ROUTE 96 WATERLOO, NY 13165

To the Attention of:
LINDA JAYCOX
3605 ROUTE 96
WATERLOO , NY 13165-

Inspection

Date: MAY 09, 2015 12:17 PM
Inspector: Arthur Sinicropi (asinicropi@co.seneca.ny.us)
Responsible Person: Linda Jaycox (email:)

Summary

Number of public health hazards found: 1
Number of public health hazards NOT corrected: 0
Number of other violations found: 2

Each item found in violation is reported below along with the code requirement.

PUBLIC HEALTH HAZARDS

A public health hazard is any condition that poses an imminent threat to the health or safety of the public. An owner/operator of a regulated facility must immediately correct all public health hazards or take actions to prevent exposure to the hazard.

ITEM # 4 WAS FOUND IN VIOLATION 1 TIME(s). PUBLIC HEALTH HAZARD

Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.

Code Requirements

Toxic items improperly stored or used [14-4.20(b)(4), 14-4.70(a)(b)(c)(d)]

Inspector Findings

Hazardous chemicals stored in hash wash sink. Corrected moved to appropriate location.

EQUIPMENT AND UTENSILS

ITEM # 18 WAS FOUND IN VIOLATION 1 TIME(s).

Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.

Code Requirements

Equipment not in good repair or maintained, not easily cleanable, unsuitably placed [14-4.102, 14-4.103(b), 14-4.105]

Inspector Findings

Hand wash sink was inaccessible and non functional. Reviewed proper hand-wash facilities and advised to seek further consultation with the health department to get food trailer to code.

FOOD PROTECTION

ITEM # 11 WAS FOUND IN VIOLATION 1 TIME(S).

Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.

Code Requirements

Thermometers inaccurate, improperly used, improper type [14-4.51, 14-4.52, 14-4.91]

Inspector Findings

Thermometers found within the trailer were not functioning properly. Food Items found at 200F were reading on Dutchmen's probe at 110F. Corrected used health departments probe till facility was able to find an appropriate functioning thermometer.

Additional Information Collected During Inspection

Vehicle ID - 58-52281; Valid Permit - Yes; Choking Poster Displayed - No; Economic Violation - No;

Comments

Hot holding were found >140F. Reviewed proper hand-wash facilities and proper glove use. Advised to seek further consultation with the Seneca Health Department to get food trailer up to code.

END of REPORT

[Submit# 134164] Dutchmen's Family Restaurant Mobile Food Unit (ID 763063) Inspection# 1001659983