

Seneca County Department of Health  
Environmental Services  
31 Thurber Drive , Waterloo,, NY 13165  
(315) 539 - 1945  
jbates@co.seneca.ny.us

## Food Service Establishment Inspection -- Summary Report

Operation: BURGER KING #3438 (ID: 308315 )  
Facility Name: BURGER KING #3438  
Facility Code: 49-AA09  
Facility Address: 5 & 20 ROUTE SENECA FALLS, NY 13148

To the Attention of:  
RICHARD L BARTLETT  
6060 COURT STREET ROAD  
SYRACUSE , NY 13206-

### Inspection

Date: MAY 05, 2016 11:14 AM  
Inspector: Arthur Sinicropi (asinicropi@co.seneca.ny.us)  
Responsible Person: Daniel Monagle  
(email: )

### Summary

Number of public health hazards found: 1  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 3

Each item found in violation is reported below along with the code requirement.

## FOODS NOT PROTECTED FROM CONTAMINATION BY WORKERS.

### ITEM # 3C WAS FOUND IN VIOLATION 1 TIME(S). CRITICAL VIOLATION

Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.

#### Code Requirements

Food workers do not use proper utensils to eliminate bare hand contact with cooked or prepared foods.

#### Inspector Findings

Bare hand contact was observed while food worker dispensed fries into fry container. Food worker voluntarily discarded french fries. Educated on the risks of bare hand contact. Food worker put gloves on to eliminate the potential for bare hand contact.

## FOOD NOT PROTECTED IN GENERAL

### ITEM # 8A WAS FOUND IN VIOLATION 1 TIME(S).

Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.

#### Code Requirements

Food not protected during storage, preparation, display, transportation and service, from potential sources of contamination (e.g., food uncovered, mislabeled, stored on floor, missing or inadequate sneeze guards, food containers double stacked)

#### Inspector Findings

Box of burger buns stored under condensing unit in walk in freezer. Condenser was leaking fluid directly on buns. All boxes around condenser unit were inspected. Approximately one box of buns was found to be contaminated, voluntarily discarded by manager. During interview with manager Daniel he stated condenser unit will be fixed tomorrow. All boxes were moved away from leaking condenser unity.

ITEM # 8B WAS FOUND IN VIOLATION 1 TIME(S).

Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.

Code Requirements

In use food dispensing utensils improperly stored

Inspector Findings

Ice scoop was found on top of ice machine. Food worker sanitized ice scoop. Educated that ice scoop should be stored in a sanitary bucket or place ice scoop handle up in ice machine.

**IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.**

ITEM # 15A WAS FOUND IN VIOLATION 1 TIME(S).

Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

During the inspection of the walk in cooler 8 hamburger patties were found on floor of walk in freezer along with other pieces of food debris. Hamburger patties were voluntarily discarded and walk in freezer was cleaned while inspector was present.

---

Additional Information Collected During Inspection

Comments

Frequent hand washing was observe veld. Reviewed sick worker policy with manager Daniel. Time as Public Health protocol was being followed.

---

END of REPORT

[Submit# 195598] BURGER KING #3438 (ID 308315) Inspection# 1001821914