

Seneca County Department of Health
Environmental Services
31 Thurber Drive , Waterloo,, NY 13165
(315) 539 - 1945
jbates@co.seneca.ny.us

Food Service Establishment Inspection -- Summary Report

Operation: CRYSTAL LAKE CAFE (ID: 564542)
Facility Name: CRYSTAL LAKE CAFE
Facility Code: 495687
Facility Address: 4367 EAST COVERT ROAD INTERLAKEN, NY 14847

To the Attention of:
JOE GOBER
4367 EAST COVERT RD.
INTERLAKEN , NY 14847-

Inspection

Date: JUN 03, 2016 02:44 PM
Inspector: Julie Hoster (jhoster@co.seneca.ny.us)
Responsible Person: manager
(email:)

Summary

Number of public health hazards found: 2
Number of public health hazards NOT corrected: 0
Number of other violations found: 4

Each item found in violation is reported below along with the code requirement.

IMPROPER COOLING AND REFRIGERATED STORAGE OF POTENTIALLY HAZARDOUS FOODS.

ITEM # 5C WAS FOUND IN VIOLATION 2 TIME(S). CRITICAL VIOLATION

Part or parts of the violation item were observed to be in violation which were corrected at the time of inspection.

Code Requirements

Potentially hazardous foods are not stored under refrigeration except during necessary preparation or approved precooling procedures (room temperature storage).

Inspector Findings

sliced tomatoes found stored on counter at 72F; cooked pasta stored on counter @ 76F CORRECTED: VOLUNTARILY DISARDED

FOOD NOT PROTECTED IN GENERAL

ITEM # 8A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Food not protected during storage, preparation, display, transportation and service, from potential sources of contamination (e.g., food uncovered, mislabeled, stored on floor, missing or inadequate sneeze guards, food containers double stacked)

Inspector Findings

foods stored on floor of walkin

**IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT
AND UTENSILS.**

ITEM # 11B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Wiping cloths dirty, not stored properly in sanitizing solutions

Inspector Findings

wiping cloths stored in visibly dirty water

**IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL
FACILITIES.**

ITEM # 15A WAS FOUND IN VIOLATION 2 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

side utility room is increasingly being used for food prep and storage walls floors are not easily cleanable; floors under fryers and equipment have food debris

Additional Information Collected During Inspection

Comments

restaurant needs more refrigerated storage; walkin is organized but limited on space; burger cooked to 140F per customer request

END of REPORT

[Submit# 201533] CRYSTAL LAKE CAFE (ID 564542) Inspection# 1001829555