

Seneca County Department of Health  
Environmental Services  
31 Thurber Drive , Waterloo,, NY 13165  
(315) 539 - 1945  
jbates@co.seneca.ny.us

## Food Service Establishment Inspection -- Summary Report

Operation: NORTH SENECA SPORTSMAN CLUB (ID: 878262)  
Facility Name: NORTH SENECA SPORTSMAN CLUB Facility Email: None  
Facility Code: 49-2411  
Facility Address: 334 ROUTE 318 PHELPS, NY 14532

To the Attention of:  
DAVID M TOURNOUR  
334 ROUTE 318  
PHELPS , NY 14532- Owner/Operator Email: None

Inspection  
Date: DEC 09, 2016 04:00 PM  
Inspector: Julie Hoster (jhoster@co.seneca.ny.us)  
Responsible Person: Kim Parsons  
(email: )

Summary  
Number of public health hazards found: 0  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 5

Each item found in violation is reported below along with the code requirement.

### FOOD NOT PROTECTED IN GENERAL

ITEM # 8A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Food not protected during storage, preparation, display, transportation and service, from potential sources of contamination (e.g., food uncovered, mislabeled, stored on floor, missing or inadequate sneeze guards, food containers double stacked)

Inspector Findings

pickled sausage stored in jar directly on floor

### POOR SANITARY DESIGN, CONSTRUCTION, INSTALLATION OF EQUIPMENT AND UTENSILS.

ITEM # 10B WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Non-food contact surfaces and equipment are improperly designed, constructed, installed, maintained (equipment not readily accessible for cleaning, surface not smooth finish)

Inspector Findings

bottom of keg cooler has water accumulation

## IMPROPER CLEANING, WASHING AND SANITIZING OF EQUIPMENT AND UTENSILS.

ITEM # 11A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Manual facilities inadequate, technique incorrect; mechanical facilities not operated in accordance with manufacturer's instructions

Inspector Findings

no sanitizer available for washing glasses

## IMPROPER CONSTRUCTION AND MAINTENANCE OF PHYSICAL FACILITIES.

ITEM # 15A WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Floors, walls, ceilings, not smooth, properly constructed, in disrepair, dirty surfaces

Inspector Findings

walls and ceilings have holes ceiling by coolers has insulation exposed

ITEM # 15C WAS FOUND IN VIOLATION 1 TIME(S).

All or parts of the violation item are IN violation.

Code Requirements

Premises littered, unnecessary equipment and article present, living quarters no completely separated for food service operations, live animals, birds and pets not excluded

Inspector Findings

dog behind bar at time of inspection; paper works canisters stored up against heater

---

Additional Information Collected During Inspection

Comments

---

END of REPORT

[Submit# 254253] NORTH SENECA SPORTSMAN CLUB (ID 878262) Inspection#

1001904141